

Model	SGV-110DP	SGV-110DPL	SGV-110DP-PC
	SGV-110DR	SGV-110DRL	SGV-110DS-PC
	SGV-110DS	SGV-110DSL	(DR-filter cannot be used with this model)
Tank capacity	22L (16L with DR-filter)	44L (37L with DR-filter)	12L
Suction Air volume	With DP-filter: 2.5m ³ /min With DR-filter: 2.6m ³ /min With DS-filter: 2.2m ³ /min	With DP-filter: 2.5m ³ /min With DR-filter: 2.6m ³ /min With DS-filter: 2.2m ³ /min	With DP-filter: 2.5m ³ /min With DS-filter: 2.2m ³ /min
Power consumption (*)	Single phase 100V	Single phase 100V	Single phase 100V
Power supply	1100W	1100W	1100W
Rated current	11.5A	11.5A	11.5A
Max vacuum pressure	30kPa	30kPa	30kPa
Hose length	2m	2m	2m
Power cord length	8m	8m	8m
Dimensions (H x W x D)	W: 474 x D: 520 x H: 764	W: 474 x D: 600x H :963	W: 336 x D: 336 x H:682
Weight	20.5kg (SGV-110DR: 16.5kg)	23.0kg (SGV-110DR: 19.0kg)	14.5kg

*Design and specifications are subject to change without notice.

Model	SCV-105	SCV-T105
Filter	ULPA-filter (Filters even 0.1 micron particles to 99.99%)	
Tank capacity	4.5 L	4.5 L
Suction Air volume	2.1 m ³ /min	2 m ³ /min
Power supply	Single phase 100V	Single phase 100V
Power consumption	1050 W	1050 W
Rated current	11.0 A	11:00 AM
Max vacuum pressure	23.3 kPa	22.5 kPa
Hose	Diameter	34 mm
	Length	1.4 m
Power cord length	Diameter	32 mm
	Length	2 m
Dimensions (mm)	W: 283 x D: 327x H: 657	W: 283 x D: 325x H:416
Weight	11.5 kg	8.7 kg

*Design and specifications are subject to change without notice.

Model	SOV-S110P	
Tank capacity	16 L	
Suction Air volume	2.3 m ³ /min	
Power supply	Single phase 100V	
Power consumption	1100 W	
Rated current	11.5 A	
Max vacuum pressure	30 kPa	
Hose	Diameter	38 mm
	Length	2 m
Power cord length	8 m	
Dimensions (H x W x D)	H: 645 x W: 430 x D: 495	
Weight	17.5 kg	

*Design and specifications are subject to change without notice.

Model	SPSV-110-8A	SPSV-110L-8A
Tank capacity	10L (7L for liquids)	22L (20L for liquids)
Suction Air volume	2.7 m ³ /min	
Power supply	Single phase 220V	
Power consumption	1100 W	
Rated current	11.5 A	
Max vacuum pressure	23 kPa	
Hose	Diameter	38 mm
	Length	2 m
Power cord length	20 m	
Dimensions (H x W x D)	H: 580 x W: 370 x D: 410	H: 780 x W: 400 x D: 420
Weight	14 kg	16 kg

***Design and specifications are subject to change without notice.**

Model	SAV-110R-8A	
Tank capacity	8L (6.5L for liquids)	
Suction Air volume	2.6 m ³ /min	
Power supply	Single phase 220V	
Power consumption	1100 W	
Rated current	11.5 A	
Max vacuum pressure	23 kPa	
Hose	Diameter	32 mm
	Length	1.8 m
Power cord length	8 m	
Dimensions (H x W x D)	H: 485 x W: 340 x D: 360	
Weight	8.2 kg	

***Design and specifications are subject to change without notice.**

Model	SPV-B101A-II	SPV-101EC
Tank capacity	4 L	16L (14.5L if liquid)
On / Off switch	On handle	On handle
Suction Air volume	2.2 m ³ /min	3.4 m ³ /min
Power supply	Single phase 100V	Single phase 100V
Power consumption	1050 W	1010 W
Rated current	11:00 AM	11.0 A
Max vacuum pressure	20.6 kPa	20.7 kPa
Hose	Diameter	38 mm
	Length	1.2 m
Power cord length	8 m	8 m
Dimensions (mm)	H: 550 x W: 240 x D: 260	H: 540 x W: 520 x D: 520
Weight	8.5 kg	11.5 kg

***Design and specifications are subject to change without notice.**

Model	SAC-100	
Power supply	Powered by compressed air	
Tank capacity	16L (14.5L if liquid)	
On / Off switch	On handle	
Noise level (dB)	73 dB	
Suction Air volume	1.93 m ³ /min	
Max vacuum pressure (kPa)	19.6 kPa	
Hose	Diameter	38 mm
	Length	2 m
Dimensions (H x W x D)	H: 600 x W: 520 x D: 520	
Weight	10.5 kg	

***Design and specifications are subject to change without notice.**

Model	SGV-110A	SGV-110AL
Tank capacity	22L (16L for liquids)	44L (37L for liquids)
Suction Air volume	2.6m ³ /min	2.6m ³ /min
Power consumption (*)	Single phase 100V	Single phase 100V
Power supply	1100W	1100W
Rated current	11.5A	11.5A
Max vacuum pressure	30kPa	30kPa
Hose length	2m	2m
Power cord length	8m	8m
Dimensions (H x W x D)	W: 474 x D: 520 x H: 764	W: 474 x D: 600x H :963
Weight	19.0kg	21.5kg

***Design and specifications are subject to change without notice.**

Model	SGV-110ALN	SGV-110A-PC
Tank capacity	44L(37L for liquids)	12L(8 L for liquids)
Suction Air volume	2.6m ³ /min	2.6m ³ /min
Power consumption (*)	Single phase 100V	Single phase 100V
Power supply	1100W	1100W
Rated current	11.5A	11.5A
Max vacuum pressure	30kPa	30kPa
Hose length	2m	2m
Power cord length	8m	8m
Dimensions (H x W x D)	W: 474 x D: 600x H :963	W: 336 x D: 336 x H:963
Weight	22.0kg	13.0kg

***Design and specifications are subject to change without notice.**

Model	SOV-S110A	SOV-S110AL
Tank capacity	16L (10L for liquids)	32L (26L for liquids)
Suction Air volume	2.7 m ³ /min	2.7 m ³ /min
Power supply	Single phase 100V	Single phase 100V
Power consumption	1100 W	1100 W
Rated current	11.5 A	11.5 A
Max vacuum pressure	30 kPa	30 kPa
Hose	Diameter	38 mm
	Length	2 m
Power cord length	8 m	8m
Dimensions (H x W x D)	W: 430 x D: 493x H: 645	W: 474 x D: 535x H: 865
Weight	17.5kg	22.0kg

*Design and specifications are subject to change without notice.

Model	SPV-101AT-30L	SPV-101AT	SPV-101AR
Tank capacity	23.5L (18L for liquids)	5L (4L for liquids)	5L (4L for liquids)
Suction Air volume	3.4 m ³ /min	3.4 m ³ /min	3.4 m ³ /min
Power supply	Single phase 100V	Single phase 100V	Single phase 100V
Power consumption	1100 W	1100 W	1100 W
Rated current	11A	11A	11A
Max vacuum pressure	20.7 kPa	20.7 kPa	20.7 kPa
Hose	Diameter	38 mm	38 mm
	Length	2 m	2 m
Power cord length	8 m	8 m	8 m
Dimensions (H x W x D)	W: 280 x D: 430x H: 700	W: 230 x D: 230x H: 595	Φ 320x340
Weight	10.0kg	7.0kg	7.0kg

*Design and specifications are subject to change without notice.

Model	SPV-101AT-P	SPV-101AR-P
Tank capacity	Pail	Pail
Suction Air volume	3.4 m ³ /min	3.4 m ³ /min
Power supply	Single phase 100V	Single phase 100V
Power consumption	1100 W	1100 W
Rated current	11A	11A
Max vacuum pressure	20.7 kPa	20.7 kPa
Hose	Diameter	38 mm
	Length	2 m
Power cord length	8 m	8 m
Dimensions (H x W x D)	Φ320x340	Φ320x340
Weight	7.0kg	7.0kg

*Design and specifications are subject to change without notice.

Model	SV-1501	SV-3003
Tank capacity	40 L (35 L for liquids)	40 L (35 L for liquids)
Suction Air volume	4.6 m ³ /min	7.0 m ³ /min
Power supply	Single phase 100V	3 phase 200V
Power consumption	1400 W	3080W
Rated current	14A	9A
Max vacuum pressure	17.0 kPa	22.6 kPa
Hose	Diameter	50 mm
	Length	3 m
Power cord length	20 m	20 m
Dimensions (H x W x D)	W: 580 x D: 825x H: 890	W: 580 x D: 825x H: 890
Weight	44.5kg	44.5kg

*Design and specifications are subject to change without notice.

Model	SDV-1501	SDV-3003
Tank capacity	180 L	180 L
Suction Air volume	4.6 m ³ /min	7.0 m ³ /min
Power supply	3 phase 200V	3 phase 200V
Power consumption	1400 W	3080W
Rated current	14A	9A
Max vacuum pressure	17.0 kPa	22.6 kPa
Hose	Diameter	38 mm
	Length	3 m
Power cord length	20 m	20 m
Dimensions (H x W x D)	Φ620 x 450	Φ620 x 450
Weight	30.5kg	30.5kg

*Design and specifications are subject to change without notice.

Model	SSV-103A	SSV-203A	SSV-303A
Tank capacity	30 L (30 L for liquids)	36 L (36 L for liquids)	36 L (36 L for liquids)
Suction Air volume (50Hz)	1.8 m ³ /min	3.0 m ³ /min	4.5 m ³ /min
Power supply	3 phase 200V	3 phase 200V	3 phase 200V
Power consumption	800 W	1500W	2400W
Rated current	3A	5.5A	8.2A
Max vacuum pressure	12.0 kPa	16.0 kPa	18.5 kPa
Hose	Diameter	38 mm	50 mm
	Length	2 m	3 m
Power cord length	10 m	10 m	10 m
Dimensions (H x W x D)	W: 450 x D: 805x H: 750	W: 515 x D: 1045x H: 910	W: 515 x D: 1045x H: 910
Weight	60.0kg	103.0kg	115.0kg

*Design and specifications are subject to change without notice.